WETROTECH

Safety Data Sheet

Issue Date: 08-Sep-2010 Revision Date: 20-Apr-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Stain Remover & Carpet Cleaner

Other means of identification

SDS # MTC-021

Recommended use of the chemical and restrictions on use Recommended Use Fabric & carpet cleaner.

Details of the supplier of the safety data sheet

Supplier Address

MetroTech Chemicals, Inc. 2101 Wilkinson Blvd. Charlotte, NC 28208

Emergency Telephone Number

Company Phone Number Phone: 1-704-525-3600

Fax: 1-704-525-5156

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor Orange

Classification

Flammable Liquids Category 4

Signal Word Warning

Hazard Statements

Combustible liquid

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking Wear protective gloves/protective clothing/eye protection/face protection

<u>Precautionary Statements - Response</u>

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	<5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact If splashed into eyes, flush with water for at least 15 minutes. If irritation continues, seek

medical attention.

Skin Contact Remove contaminated clothing and shoes. Wash exposed areas with soap and water. If

irritation persists, seek medical attention.

Inhalation If breathing problems develop, move to fresh air. If breathing is difficult, give oxygen. Keep

victim warm and quiet. If problems persists, seek medical attention.

Ingestion Seek medical attention. Do not induce vomiting. Place victim on left side with head down.

Do not leave the individual unattended.

Most important symptoms and effects

Symptoms Will cause eye irritation. May cause skin irritation. Swallowing small amounts of material is

not likely to cause harmful effects. Inhalation of this material during normal handling is not

Revision Date: 20-Apr-2015

likely to cause harmful effects.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Halon.

Unsuitable Extinguishing Media Water.

Specific Hazards Arising from the Chemical

Vapors are heavier than air and may travel along the ground and ignite at a distant source.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

·

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Absorb liquid on vermiculite or other absorbent materials. Dike to prevent material from

reaching streams or other water sources. If runoff occurs notify authorities as required.

Revision Date: 20-Apr-2015

Dispose of waste in accordance with local, state or federal laws.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective

clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a well-ventilated place. Keep cool.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	_
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear liquidOdorOrange

Color Clear Odor Threshold Not determined

Revision Date: 20-Apr-2015

Remarks • Method

Not determined pН

Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** 154.4-196.1 °C / 310-385 °F

Values_

Flash Point >60 °C / >140 °F **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined Not determined

Lower Flammability Limit Vapor Pressure Not determined Vapor Density Not determined **Specific Gravity** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content 2.9% **Density** 1.00

10. STABILITY AND REACTIVITY

Reactivity

Property

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Revision Date: 20-Apr-2015

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	•	-
Sodium Polyacrylate 9003-04-7	> 40 g/kg (Rat)	-	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg (Rat)	-	-
Sodium Sulfate 7757-82-6	> 10000 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1000: 48 h Daphnia magna
Ether		macrochirus mg/L LC50		mg/L EC50 1698 - 1940: 24
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		
Sodium Sulfate		13500 - 14500: 96 h		2564: 48 h Daphnia magna
7757-82-6		Pimephales promelas mg/L		mg/L EC50 630: 96 h
		LC50 13500: 96 h Lepomis		Daphnia magna mg/L EC50
		macrochirus mg/L LC50		
		6800: 96 h Pimephales		
		promelas mg/L LC50 static		
		3040 - 4380: 96 h Lepomis		
		macrochirus mg/L LC50		
		static		

·

Revision Date: 20-Apr-2015

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note According to 49 CFR §173.150(f)(1), this material should be reclassified as "NA1993,

Combustible Liquid, N.O.S." if it is shipped in bulk.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene Glycol Monobutyl	Present	X		Present		Present	X	Present	X	X
Ether										

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Revision Date: 20-Apr-2015

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Sodium Sulfate 7757-82-6		X	X

16. OTHER INFORMATION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date: 08-Sep-2010 **Revision Date:** 20-Apr-2015 **Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet