

# **Safety Data Sheet**

Issue Date: 26-Jun-2015 Revision Date: 03-Jul-2015 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Dries-It Drying Agent

Other means of identification

SDS # MTC-037

Recommended use of the chemical and restrictions on use

Recommended Use Automotive care.

Details of the supplier of the safety data sheet

**Supplier Address** 

MetroTech Chemicals, Inc. 2101 Wilkinson Blvd. Charlotte, NC 28208

**Emergency Telephone Number** 

Company Phone Number Phone: 1-704-525-3600

Fax: 1-704-525-5156

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance liquid Physical State Liquid

# Classification

| Skin corrosion/irritation         | Category 2 |  |
|-----------------------------------|------------|--|
| Serious eye damage/eye irritation | Category 2 |  |

# **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

Signal Word Warning

# **Hazard Statements**

Causes skin irritation
Causes serious eye irritation



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                   | CAS No     | Weight-% |
|---------------------------------|------------|----------|
| Ethylene Glycol Monobutyl Ether | 111-76-2   | 5-10     |
| Cocamidopropyl betaine          | 61789-40-0 | 5-10     |
| Acetic acid                     | 64-19-7    | 1-5      |

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin Contact** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

# Most important symptoms and effects

**Symptoms** May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands,

and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing

and eye/face protection.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Exposure Guidelines**

| Chemical Name                               | ACGIH TLV                   | OSHA PEL                                                                                  | NIOSH IDLH                                                                     |
|---------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | TWA: 20 ppm                 | TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S* | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m³                                   |
| Acetic acid<br>64-19-7                      | STEL: 15 ppm<br>TWA: 10 ppm | TWA: 10 ppm<br>TWA: 25 mg/m³<br>(vacated) TWA: 10 ppm<br>(vacated) TWA: 25 mg/m³          | IDLH: 50 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m³<br>STEL: 15 ppm<br>STEL: 37 mg/m³ |

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** liquid Odor Not determined Color Not determined **Odor Threshold** Not determined

**Property** Values Remarks • Method

На Not determined **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to Avoid**

Keep out of reach of children.

# **Incompatible Materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Causes skin irritation.

Inhalation Do not inhale.

Ingestion May be harmful if swallowed.

#### **Component Information**

| Chemical Name                                             | Oral LD50            | Dermal LD50             | Inhalation LC50       |  |  |
|-----------------------------------------------------------|----------------------|-------------------------|-----------------------|--|--|
| Ethylene Glycol Monobutyl Ether<br>111-76-2               |                      |                         | = 450 ppm (Rat) 4 h   |  |  |
| Cocamidopropyl betaine = 4900 mg/kg ( Rat )<br>61789-40-0 |                      | -                       | -                     |  |  |
| Acetic acid<br>64-19-7                                    | = 3310 mg/kg ( Rat ) | = 1060 mg/kg ( Rabbit ) | = 11.4 mg/L (Rat) 4 h |  |  |

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

| Chemical Name             | ACGIH | IARC    | NTP | OSHA |
|---------------------------|-------|---------|-----|------|
| Ethylene Glycol Monobutyl | A3    | Group 3 |     |      |
| Ether                     |       |         |     |      |
| 111-76-2                  |       |         |     |      |

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

# Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

# **Component Information**

| Chemical Name             | Algae/aquatic plants | Fish                      | Toxicity to microorganisms | Crustacea                 |
|---------------------------|----------------------|---------------------------|----------------------------|---------------------------|
| Ethylene Glycol Monobutyl |                      | 1490: 96 h Lepomis        |                            | 1000: 48 h Daphnia magna  |
| Ether                     |                      | macrochirus mg/L LC50     |                            | mg/L EC50 1698 - 1940: 24 |
| 111-76-2                  |                      | static 2950: 96 h Lepomis |                            | h Daphnia magna mg/L      |
|                           |                      | macrochirus mg/L LC50     |                            | EC50                      |

| Cocamidopropyl betaine | 1.0 - 10.0: 72 h                   | 1.0 - 10.0: 96 h Brachydanio |                           | 6.5: 48 h Daphnia magna   |
|------------------------|------------------------------------|------------------------------|---------------------------|---------------------------|
| 61789-40-0             | 61789-40-0 Desmodesmus subspicatus |                              |                           | mg/L EC50                 |
|                        | mg/L EC50 0.55: 96 h               | Brachydanio rerio mg/L       |                           |                           |
|                        | Desmodesmus subspicatus            | LC50 semi-static             |                           |                           |
|                        | mg/L EC50                          |                              |                           |                           |
| Acetic acid            |                                    | 79: 96 h Pimephales          | EC50 = 8.8 mg/L 15 min    | 65: 48 h Daphnia magna    |
| 64-19-7                |                                    | promelas mg/L LC50 static    | EC50 = 8.8  mg/L  25  min | mg/L EC50 Static 47: 24 h |
|                        |                                    | 75: 96 h Lepomis             | EC50 = 8.8  mg/L  5  min  | Daphnia magna mg/L EC50   |
|                        |                                    | macrochirus mg/L LC50        | -                         |                           |
|                        |                                    | static                       |                           |                           |

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

| Chemical Name                               | Partition Coefficient |
|---------------------------------------------|-----------------------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | 0.81                  |
| Acetic acid<br>64-19-7                      | -0.31                 |

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Acetic acid   | Toxic                             |
| 64-19-7       | Corrosive                         |
|               | Ignitable                         |

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u>

Marine Pollutant This material may meet the definition of a marine pollutant

**15. REGULATORY INFORMATION** 

Revision Date: 03-Jul-2015

# **International Inventories**

| Chemical Name             | TSCA    | DSL | NDSL | EINECS  | ELINCS | ENCS    | IECSC | KECL    | PICCS | AICS |
|---------------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Ethylene Glycol Monobutyl | Present | X   |      | Present |        | Present | X     | Present | Х     | Х    |
| Ether                     |         |     |      |         |        |         |       |         |       |      |
| Cocamidopropyl betaine    | Present | Х   |      | Present |        | Present | Х     | Present | Х     | Х    |
| Acetic acid               | Present | Х   |      | Present |        | Present | Х     | Present | Х     | Х    |

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Acetic acid   | 5000 lb                  |                | RQ 5000 lb final RQ      |
| 64-19-7       |                          |                | RQ 2270 kg final RQ      |

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                              | CAS No   | Weight-% | SARA 313 - Threshold<br>Values % |
|--------------------------------------------|----------|----------|----------------------------------|
| Ethylene Glycol Monobutyl Ether - 111-76-2 | 111-76-2 | 5-10     | 1.0                              |

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Nan | ne | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------|----|--------------------------------|------------------------|---------------------------|-------------------------------|
| Acetic acid  |    | 5000 lb                        |                        |                           | X                             |

#### **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Chemical Name                               | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------------|------------|---------------|--------------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | X          | X             | X            |
| Acetic acid<br>64-19-7                      | Χ          | X             | X            |

**16. OTHER INFORMATION** 

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection

Not determined Not determined Not determined

Revision Date: 03-Jul-2015

Issue Date:26-Jun-2015Revision Date:03-Jul-2015Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**